CARBOHYDRATE RESEARCH, VOL. 159 (1987)

AUTHOR INDEX

ABDUL-MALIK, M. M., 11
AHMED, H., 137
ANKER, D., 159
ANKER, G., 159
ATTAGHRAI, J., 159

BANERJI, N., 328
BHATTACHARYA, S. B., 328
BRILLOUET, J.-M., 109, 165

CAMERON, T. S., 171
CANAS-RODRIGUEZ, A., 217
CHATTERJEE, B. P., 137
CHOWDHURY, S., 137
CHRASTIL, J., 154
CHÛJÔ, R., 1
CIUNIK. Z., 53
CORONEL-BORGES, L. A., 217
CYONG, J.-C., 275

DALLEY, N. K., 81
DAS, A. K., 328

FISHMAN, M. L., 185
FUJIMOTO, H., 65

GOUX, W. J., 191
GRINDLEY, T. B., 171
GUPTA, P. C., 336
GUPTA, R., 336
GURJAR, M. K., 325

HAMON, M., 149
HARA, K., 65
HASHIMOTO, H., 65
HE, X.-Y., 127
HENNEN, W. J., 81
HINDSGAUL, O., 315

INOUE, Y., 1
ISHIGAMI, H., 255

JACQUINET, J.-C., 229
JASIŃSKA, J., 53
JEFFREY, G. A., 211
JOSELEAU, J.-P., 109

KAINUMA, K., 255
KHARE, N., 336
KINI, G. D., 81
KITAHATA, S., 303
KIYOHARA, H., 275
KUAN, F.-H., 1
KUMARI, A., 171
KUSUMA, S., 171

LONGAS, M. O., 127

MAJUMDER, P. C., 328
MATCHOUTSKY, L., 149
MIKUNI, K., 255
MONMA, M., 255

NAGASAWA, K., 263
NASIR-UD-DIN, 95

OHNO, N., 293
OKADA, S., 303
OTOTANI, N., 25
OTSUKA, Y., 275

PALCIC, M. M., 315
PAULSEN, H., 37
PAWAR, S. M., 325
PENG, Q.-J., 11
PERLIN, A. S., 11
PETRIE, C. R., 81
PICQ, D., 159
POSTAIRE, E., 149
PRADEAU, D., 149
PROGNON, P.,149
PURCEL, J. M., 185

ROBINS, R. K., 81
RUIZ-POVEDA, S. G., 217
RUSSELL, C. S., 127

SATO, K.-I., 65
SCHULTZ, M., 37
SEN, A. K., 328
SRIVASTAVA, O. P., 315
SINAŸ, P., 229
SINGH, V., 335

UCHIYAMA, H., 263
UNKEFER, C. J., 191

WILSON, B. E., 81

YADOMAE, T., 293
YAMADA, H., 275
YEON, Y., 211
YOSHIMURA, J., 65
YOSHIMURA, Y., 303
YOSIZAWA, Z., 25

CARBOHYDRATE RESEARCH, VOL. 159 (1987)

SUBJECT INDEX

2-Acetamido-2-deoxy-D-glucose, 6-*O*-substituted residues, transfer of D-galactosyl group by galactosyltransferase to, 315
D-Allononitrile, 2,5-anhydro-5-thio-, synthesis of, 81
2-*O*-Allyl-D-glucose, Synthesis of some derivatives of, 325
2-Amino-2,4-dideoxy-β-D- and -L-*threo*-pentopyranoside methyl, resolution of, 159
Amylose in starches or flours, improved colorimetric determination of, 154
2,3-Anhydropyranoses, some derivatives of, nuclear magnetic resonance spectra of, 11
Anti-complementary arabinogalactan from the roots of *Angelica acutiloba* Kitagawa, structural characterisation of an, 275
Antitumour β-D-glucan produced by *Sclerotinia sclerotiorum* IFO 9395, two different conformations of the, 293
Approach towards the isolation and characterization of some polysaccharide components of the protozoan *Leishmania donovani*, 328
Apramycin analogues, synthesis of, 217
Arabinogalactan for the root of *Angelica acutiloba* Kitagawa, structural characterisation of an anti-complementary, 275
Arabinoglucuronoxylan and larchwood 4-*O*-methylglucuronoxylan, mode of action of xylanase II from *Polyporus tulipiferae* on oat-spelt, 165
D-Arabinose diethyl dithioacetal, 2,4:3,5-di-*O*-benzylidene-, the crystal structure of, and related molecular-mechanics calculations, 171
Asialoglycophorin A, synthesis of the sequence 43–48 containing two oligosaccharide chains, 37
Assignment of carbonyl resonances in ^{13}C-n.m.r. spectra of peracetylated mono- and oligosaccharides containing D-glucose and D-mannose: an alternative method for structural determination of complex carbohydrates, 191

Carbohydrates, complex, an alternative method for structural determination of, 191
Carbon mono- and di-oxide, detection in sterilized D-glucose solutions of, 149
Chalara Paradoxa, purification by affinity chromatography and chromatofocusing of the glycoamylase components of, 255
Chemical synthesis of methyl 2-acetamido-2-deoxy-3-*O*-(α-L-idopyranosyluronic acid)-4-*O*-sulfo-β-D-galactopyranoside disodium salt and its non-sulfated analogue, 229
L-*chiro*-Inositol, the crystal structure of, 211
C.p.–m.a.s. ^{13}C-n.m.r. study of some solid-state inclusion complexes of cyclomalto-oligosaccharides with para-substituted benzenes, 1
Crystal structure of 2,4:3,5-di-*O*-benzylidene-D-arabinose diethyl dithioacetal, and related molecular-mechanics calculations, 171
Crystal structure of L-*chiro* inositol, 211
Cyclomalto-oligosaccharides, 6-*O*-α-maltosyl-, formation of, from α-maltosyl fluoride and cyclomalto-oligosaccharides, by pullulanase, 303

Dermatan sulfate disaccharide and its non-sulfated analogue chemical synthesis of a, 229
Dermatan sulfate in aging human skin, 127
Dermatan sulfate, pig-skin, distribution of D-glucuronic acid units within the chain of, 263
Derivatives of 2-*O*-allyl-D-glucose, synthesis of some, 325
Dissociation of dissolved pectins: Fourier-transform infrared spectroscopy, 185

Flavobacterium heparinum with heparin and chondroitin sulfate, preparation of phenyl 4-deoxy-α- and β-L-*threo*-hex-4-enopyranosiduronic acids and determination of the anomeric specificity of the Δ4,5-glycosiduronase induced from, 25
Formation of 6-*O*-α-maltosylcyclomalto-oligosaccharides from α-maltosyl fluoride and cyclomalto-oligosaccharides by pullulanase, 303

D-Galactosyl group, transfer by galactosyltransferase to 6-*O*-substituted 2-acetamido-2-deoxy-D-glucose residue, 315
Galactosyltransferase, transfer of D-galactosyl group to two 6-*O*-substituted 2-acetamido-2-deoxy-D-glucose residue by, 315
Glucoamylase components of *Chalara paradoxa*, purification by affinity chromatography and chromatofocusing of the, 255
β-D-Glucan produced by *Sclerotinia sclerotiorum* IFO 9395, two different conformations of the antitumour, 293
D-Glucose and D-mannose, peracetylated mono- and oligo-saccharides containing, the assignment of carbonyl resonances in ^{13}C-n.m.r. spectra of, 191

D-Glucuronic acid units, distribution within the chain of pig-skin dermatan sulfate of, 263
D-Glucose solutions, detection of carbon mono- and di-oxide in sterilized, 149
Glycophorin A, asialo-, synthesis of the sequence 43–48 containing two oligosaccharide chains of, 37
Glycoprotein of bonnet-monkey *(Macaca radiata)* cervical mucus, structure of acidic oligosaccharides isolated from pronase-treated, 95
Δ4,5-Glycosiduronase induced from *Flavobacterium heparinum* with heparin and chondroitin sulfate, preparation of phenyl 4-deoxy-α- and β-L-*threo*-hex-4-enopyranosiduronic acids and determination of the anomeric specificity of the, 25
Glycosyl cyanides, improved and large-scale synthesis of certain, 81

Heteroxylan from the outer pericarp (beeswing bran) of wheat kernel, investigation of the structure of a, 109
Hexapeptide sequence 43–48 of glycophorin A containing two oligosaccharide chains, synthesis of, 37
Hexopyranoside and methyl 2,2[1]-anhydro-3-*C*-[(*S*)-1,2-dihydroxyethyl]-α-D-glucopyranoside derivatives, synthesis of methyl 4-deoxy-3-*C*-[(*S*)-1,2-dihydroxyethyl]-α-D-xylo-, 65
Hyaluronic acid in aging human skin, 127

Improved colorimetric determination of amylose in starches or flours, 154
Improved and large-scale synthesis of certain glycosyl cyanides. Synthesis of 2,5-anhydro-5-thio-D-allononitrile, 81
Inclusion complexes of cyclomalto-oligosaccharides with para-substituted benzenes, a c.p.–m.a.s. ^{13}C-n.m.r. study of some solid-state, 1
Infrared spectroscopy, Fourier-transform, for study of dissociation of dissolved pectins, 185
Investigation of the structure of a heteroxylan from the outer pericarp (beeswing bran) of wheat kernel, 109

Lectin, an α-D-galactosyl-binding, from *Artocarpus lakoocha* seeds, purification and characterization of, 137

Methyl 2-acetamido-2-deoxy-3-*O*-(α-L-idopyranosyluronic acid)-4-*O*-sulfo-β-D-galactopyranoside disodium salt and its non-sulfated analogue, chemical synthesis of, 229
Methyl 4-deoxy-3-*C*-[(*S*)-1,2-dihydroxyethyl]-α-D-*xylo*-hexopyranoside and methyl 2,2[1]-anhydro-3-*C*-[(*S*)-1,2-dihydroxyethyl]-α-D-glucopyranoside derivatives, synthesis of, 65
O-Methyl *S*-(3,4,6-tri-*O*-acetyl-2-deoxy-α-D-*arabino*-hexopyranosyl)-(*R*)-dithiophosphate ion, synthesis of, and the X-ray crystal structure of the dipropylammonium salt, 53
Mode of action of xylanase II from *Polyporus tulipiferae* on oat-spelt arabinoglucuronoxylan and larchwood 4-*O*-methylglucoronoxylan, 165

Neutral seed-gum from *Cassia renigera*, 336
^{13}C-N.m.r. study of some solid-state inclusion complexes of cyclomalto-oligosaccharides with para-substituted benzenes, a c.p.–m.a.s., 1
Nuclear magnetic resonance spectra of some 2,3-anhydropyranose derivatives, 11

Oligosaccharides isolated from pronase-treated glycoprotein of bonnet-monkey *(Macaca radiata)* cervical mucus, structure of acidic, 95

Pectins, dissolved, dissociation of, studied by Fourier-transform infrared spectroscopy, 185
β-D- and L-Pentopyranoside, methyl 2-amino-2,4-dideoxy-, resolution of, 159
Phenyl 4-deoxy-α- and β-L-*threo*-hex-4-enopyranosiduronic acids and determination of the anomeric specificity of the Δ4,5-glycosiduronase induced from *Flavobacterium heparinum* with heparin and chondroitin sulfate, preparation of, 25
Pig-skin dermatan sulfate, distribution of D-glucuronic acid units within the chain of, 263
Polysaccharide components of the protozoan *Leishmania donovani*, an approach towards the isolation and characterization of some, 328
Purification and characterization of an α-D-galactosyl-binding lectin from *Autocarpus lakoocha* seeds, 137
Purification of the glucoamylase components of *Chalara paradoxa* by affinity chromatography and chromatofocusing, 255

Resolution of methyl 2-amino-2,4-dideoxy-β-D- and -L-*threo*-pentopyranoside, 159

Seed-gum, a neutral, from *Cassia renigera*, 336
Skin, human, dermatan sulfate and hyaluronic acid in, 127
Sterilized D-glucose solutions, detection of carbon mono- and di-oxide in, 149
Structural characterisation of an anti-complementary arabinogalactan from the roots of *Angelica acutiloba* Kitagawa, 275
Structure of acidic oligosaccharides isolated from pronase-treated glycoprotein of bonnet-monkey *(Monkey radiata)* cervical mucus, 95
Synthesis of apramycin analogues, 217
Synthesis of methyl 4-deoxy-3-*C*-[(*S*)-1,2-di-

hydroxyethyl]-α-D-*xylo*-hexopyranoside and methyl 2,2[1]-anhydro-3-*C*-[(*S*)-1,2-dihydroxyethyl]-α-D-glucopyranoside derivatives, 65
Synthesis of *O*-methyl *S*-(3,4,6-tri-*O*-acetyl-2-deoxy-α-D-*arabino*-hexopyranosyl) (*R*)-dithiophosphate ion and the X-ray crystal structure of the dipropylammonium salt, 53
Synthesis of some derivatives of 2-*O*-allyl-D-glucose, 325

Two-different conformations of the antitumour β-D-glucan produced by *Sclerotinia sclerotiorum* IFO 9395, 293

Wheat kernel, investigation of the structure of a heteroxylan from the outer pericarp (beeswing bran) of, 109

X-Ray crystal structure and synthesis of dipropylammonium *O*-methyl *S*-(3,4,6-tri-*O*-acetyl-2-deoxy-α-D-*arabino*-hexopyranosyl) (*R*)-dithiophosphate, 53
Xylanase II from *Polyporus tulipiferae* on oat-spelt arabinoglucoronoxylan and larchwood 4-*O*-methylglucuronoxylan, mode of action of, 165